





# Ultra High Molecular weight Polyethylene

Products with superior Impact Strength, Abrasion Resistance & Self-Lubricating Properties.

Relene UHM 2504 is a linear Polyethylene resin produced using slurry process. The extremely high molecular weight is ideally suited for products where good abrasion resistance, impact strength, self-lubricating properties, ability to withstand sub-zero temperatures, good chemical resistance and zero water absorption are required.

## **TYPICAL CHARACTERISTICS\***

Property	Test Method	Unit	Typical Value**
RSV	ASTM D4020	dl/g	25
Density (23 <sup>o</sup> C)	ASTM D792	gm/cm <sup>3</sup>	0.933
Bulk Density	ASTM D1895	gm/cm <sup>3</sup>	0.45

\*Typical Characteristics and not to be taken as specifications

### **APPLICATIONS:**

Various Engineering Applications in Textile Industry, Engineering Industry, Food Industry, Electrical Industry, Refrigeration, Coal & Mining Industry, Ship Building/Ports, Orthopedics, Sports, Slurry Transport and Electroplating.

## **Regulatory Information**

Meets the requirement stipulated in standard IS: 10146-1982 on "Specification for Polyethylene for safe use in contact with foodstuffs, pharmaceuticals, and drinking water". It also conforms to positive list of constituents as prescribed in IS: 10141-1982. The grade and the additives incorporated in it also comply with the FDA:CFR Title 21.177.1520, Olefin polymers.

#### **Storage Recommendations**

Bags should be stored in dry/closed conditions at temperatures below 50°C and protected from UV / direct sunlight.

Updated as of May 2011

Reliance industries Limited, Product & Application Technology Group , Swastik Mill Compound, V.N. Purav Marg, Chembur, Mumbai-400 071. Tel.: +91-22-6767 7000. E-mail: polymer\_patsupport@ril.com Website: www.ril.com

The information and data presented herein is true and accurate to the best of our knowledge. No warranty or guarantee expressed or implied, is made regarding performance or other wise. This information and data may not be considered as a suggestion to use our products without taking into account existing patents, or legal provisions or regulations, whether national or international. The user of any information and/or data is advised to obtain the latest details from any of the offices of the company or its authorised agents, as the information and/or data is subject to change based on the research and development work undertaken by the company.